



SHUTTER COLLECTION

SHUTTERGUARD® HURRICANE THERMOWOOD® TIMBER WOOD

OFFICES & SHOWROOMS | 0861-1-TAYLOR (829567)

CPT: 10 Hoist Avenue, Montague Gardens | +27 (0) 21 552-5080 | sales@taylorblinds.co.za

JHB: Unit 9, Moon River, 6 River Close, | +27 (0) 11 794-1743 | salesjhb@taylorblinds.co.za

Barbeque Downs, Kyalami Johannesburg

taylorblinds.co.za

TAYLOR
BLINDS & SHUTTERS Est.1959



SHUTTERGUARD®

Like GI Jane, they're pretty but tough.



SECURITY



10 YEAR WARRANTY



RUSTPROOF



OUTDOOR



INDOOR



CUSTOM COLOURS



SHUTTERGUARD® ALUMINIUM SECURITY SHUTTERS



ShutterGuard® Aluminium Security Shutters are a savvy, stylish, safety solution for windows or doors – offering security without compromising on the aesthetics of your home, commercial or retail space.

The patented Gear-lock keeps the shutters in place. A 6cm patented bolt secures the shutters to the floor, leaving no leverage to lift the lock out of the track. A 3.4cm bolt secures the top track when locked. The Cisa system allows you to lock the shutters with a unique security key. Should you wish to have a double-sided lock please request this with us.

TECHNICAL SPECIFICATIONS

UV Blockage:	100% when closed
Weight:	14 kg/m ²
Min/Max Width:	250 - 850mm
Min/Max Height:	650 - 2900mm
Material:	Aluminium



6cm patented bolt secures shutters to floor when locked



NEW ergonomically designed shutter lock & louvre lock system



TECHNICAL FEATURES

-  Impervious to moisture

-  Easy to clean

-  Control of noise and temperature

-  Control light with Astragal lip

-  Will not crack, split or warp

STANDARD COLOURS



Matte Anthracite Grey Matte Bronze Matte Light Grey



Matte Stone Grey Matte White

CUSTOM COLOURS


Custom colours are available, please speak to your sales representative. An additional fee will apply on all custom colours. Manufacture lead times require an extra 5 days.

TRACK OPTIONS



LIP

Top track with lip.
Aluminium flat sheet, colour matched, to neaten uneven walls, window frames and close light gaps



Top track without lip


NO LIP



Bottom track raised



Bottom track recessed



Face fixed against the wall




Reveal fixed inside the window door reveal


CONFIGURATIONS




Bifold




Cottage




Cottage arch
(Please note, no bottom frame)



Bypass



Slider



Floating
(When stacked, all shutter panels can move either left or right)

PIVOT OPTIONS



Pivot, either left or right

PIVOT
Either the extreme left or extreme right panel is fixed and does not move. The other panels therefore pivot from this fixed point



HURRICANE

Let the good days in. Keep the bad days out.



-  10 YEAR WARRANTY
-  RUSTPROOF
-  OUTDOOR
-  INDOOR
-  CUSTOM COLOURS



HURRICANE ALUMINIUM SHUTTERS



The folding louvred Hurricane shutters will open up any space, letting the outside in, while controlling the light, noise and temperature of your room.

Hello sunshine, goodbye dark and stormy days. With Taylor's Hurricane Shutters you can weather the storms and bask in sunlight on the lovely days. Hurricane Aluminium Shutters were originally designed to protect windows and doors from storms and high winds without compromising the aesthetics of a space. Suitable for both homes and offices, these stylish shutters, made entirely from aluminium, are not only beautiful but are functional, durable, won't rust, are easy to clean and come with up to 10-year warranties.

TECHNICAL SPECIFICATIONS

UV Blockage:	100% when closed
Weight:	14 kg/m ²
Min/Max Width:	250 - 850mm
Min/Max Height:	500 - 2900mm
Material:	Aluminium



NEW ergonomically designed turn bolt

TECHNICAL FEATURES

-  Impervious to moisture

-  Easy to clean

-  Control of noise and temperature


-  Control light

-  Will not crack, split or warp

STANDARD COLOURS



Matte Anthracite Grey Matte Bronze Matte Light Grey



Matte Stone Grey Matte White

CUSTOM COLOURS


Custom colours are available, please speak to your sales representative. An additional fee will apply on all custom colours. Manufacture lead times require an extra 5 days.

TRACK OPTIONS



LIP

Top track with lip.
Aluminium flat sheet, colour matched, to neaten uneven walls, window frames and close light gaps



NO LIP

Top track without lip



Bottom track raised



Bottom track recessed



Face fixed against the wall




Reveal fixed inside the window door reveal


CONFIGURATIONS



Bifold




Cottage




Cottage arch
(Please note, no bottom frame)



Bypass



Slider



Floating
(When stacked, all shutter panels can move either left or right)

PIVOT OPTIONS



PIVOT
Either the extreme left or extreme right panel is fixed and does not move. The other panels therefore pivot from this fixed point

Pivot, either left or right



THERMOWOOD®

A breath of fresh air.



3 YEAR WARRANTY



RUSTPROOF



INDOOR ONLY



CONTROL LIGHT, NOISE & TEMPERATURE



THERMOWOOD® SHUTTERS




Thermowood® Shutters are practical custom-made louvre door shutters, manufactured from a durable specially engineered wood substitute – extruded PVC – that has been thoroughly tested under stringent humid, hot and dry conditions to ensure longevity.

Natural light. Privacy on demand. Modern day living with our beautiful climate, begs for spaces to be opened up to let in natural light and fresh air while maximising the views. Retractable, stacking shutters merge indoor and outdoor living, extending your living space.

TECHNICAL SPECIFICATIONS

UV Blockage:	100% when closed
Weight:	8 kg/m ²
Min/Max Width:	240 - 600mm
Min/Max Height:	450 - 2900mm
Material:	Extruded PVC



Side profile of Thermowood® louvre Thermowood® louvres with tiltrod

TECHNICAL FEATURES

- Impervious to moisture
- Easy to clean
- Will not crack, split or warp

AVAILABLE STANDARD COLOURS




*Kindly note no custom colours are available for Thermowood®

TRACK OPTIONS



□ LIP



□ NO LIP

Top track with lip.
Aluminium flat sheet, colour matched,
to neaten uneven walls, window frames
and close light gaps

Top track without lip



Face fixed against the wall




Reveal fixed inside the window
door reveal




Bifold

CONFIGURATION


FRAMES




Standard frame



Decorative frame



With tilt rod



Without tilt rod
also known as
Clearview®

TILT ROD

PIVOT OPTIONS



Pivot, either left or right

PIVOT
Either the extreme left
or extreme right panel
is fixed and does not
move. The other panels
therefore pivot from
this fixed point



TIMBER WOOD

Solid, reliable, beautiful and affordable.
Four words you don't often see together.



5 YEAR WARRANTY



RUSTPROOF



OUTDOOR



INDOOR



CUSTOM COLOURS



NATURAL TIMBER WOOD



TIMBER WOOD SHUTTERS



Beautifully finished and manufactured in South Africa from hand-selected solid timber, our Timber Wood Range of shutters is 100% custom made. For those whose sense of style often outweighs their budget, these shutters offer a stylish, yet affordable solution.

They are available in all the configurations you have come to expect from Taylor; bifold, bypass, slider, cottage style and cottage arch. But our timber range also offers you further design flexibility by adding a variety of shapes like circular, triangle, half circles - in fact, practically any shape you can think of.

Developed at our design and manufacturing centre in South Africa, our timber range will appeal to those with a keenly aesthetic eye. Here, fine raw materials are beautifully crafted to ensure they aren't just practical but desirable too. Style should not sacrifice the ability to withstand inclement weather conditions, so these shutters are suited to both indoors and exteriors. Our components and materials are up to 30% thicker and more robust than imported alternatives. This continues our now legendary reputation for manufacturing to the highest standards of quality, backed by a full 5-year warranty.

TECHNICAL SPECIFICATION

UV Blockage:	100% when closed
Max Panel Width:	850mm
Max Panel Height:	2900mm
Material:	Solid Timber

TECHNICAL FEATURES

	Rustproof
	Easy to clean
	Control of noise and temperature
	100% customisable shapes



Hinges used to join shutter panels



Aluminium latch lock



Louvre with timber tilt rod (optional)

STAINED STANDARD TIMBER COLOURS*



Java

Mahogany

Walnut



Honey

Beech

PAINTED STANDARD TIMBER COLOURS*



Black

Anthracite

Taupe

Cream



Grey

Satin White

Pure White

TIMBER WOOD SHUTTERS




*FURTHER COLOUR CUSTOMISATION OPTIONS

- Paint Timber Colour Match at no extra cost - we can match your shutters to a Plascon or Dulux paint colour (please supply us with the code and brand name of your paint).
- Stain Timber Colour Match: our Timber Wood Stained Shutters can be tailored to suit your other wood products (please supply a sample of your wood/colour; no extra cost but please allow an extra 5 days of production time).
- Finishing Frame Selection: Bullnose, Chamfer and Pattern: colour-matched to your order.


PLEASE NOTE

- Stained Timber Shutters will have a 10% surcharge due to the fact that we spend additional time sourcing wood grain to match. Stained finishes also require an extra 5 days production time.
- Custom shaped finishes (arches, triangles, circles, half circles etc.) have a 10% surcharge. Please allow an extra 5 days of production time.
- 25% premium for external Timber Shutters as we use a specifically sourced Timber that differs from our internal Timber Wood.


TRACK OPTIONS




CONFIGURATIONS




PIVOT OPTIONS



FRAMES




TILT ROD



Tilt rods offer owners the opportunity to open and close the shutters with the rod which is placed on the louvres, running down the middle of each shutter pane

*CUSTOMISED FRAME SHAPE EXAMPLES



HOW OUR RANGE OF SHUTTERS STACK UP

OUR SHUTTER RANGE FEATURES	SHUTTERGUARD® ALUMINIUM SECURITY SHUTTERS	HURRICANE ALUMINIUM SHUTTERS	THERMOWOOD® SHUTTERS	TIMBER WOOD SHUTTERS
Material	Aluminium	Aluminium	Extruded PVC	Solid Timber Wood
Internal Use	✓	✓	✓	✓
External Use	✓	✓	✗	✓
Rustproof	✓	✓	✓	✓
Deliver on Security	✓	✗ Only if you add Louvre Locks as an optional extra*	✗	✗
Stackable	✓	✓	✓	✓
Suitable for Doors & Windows	✓	✓	✓	✓
Warranty	10 Years	10 Years	3 Years	5 Years
Colours	Matte White, Matte Bronze, Matte Light Grey, Matte Stone Grey, Matte Anthracite Grey <i>Custom colours available**</i>	Matte White, Matte Bronze, Matte Light Grey, Matte Stone Grey, Matte Anthracite Grey <i>Custom colours available**</i>	Satin White, Magnolia, Lime Wash, Alu-White, Holland or Ash <i>No custom colours available</i>	Our timber range is available in standard painted and stained colours <i>Custom colours available**</i>
Manufacture Time	2 Weeks: Matte White, Matte Bronze 3 Weeks: Matte Light Grey, Matte Stone Grey, Matt Anthracite Grey	2 Weeks: Matte White, Matte Bronze 3 Weeks: Matte Light Grey, Matte Stone Grey, Matt Anthracite Grey	2 Weeks: All standard colours	20 Days: Standard painted colours 25 Days: Stained or custom colours & custom frame manufacture
Configurations	Bifold, Bypass, Slider, Cottage Style or Cottage Arch Frame configuration	Bifold, Bypass, Slider, Cottage Style or Cottage Arch Frame configuration	Bifold, Bypass, Cottage Style Frame, Cottage Arch Frame, Standard Frame or Decorative Frame. Available with centre located tilt rod or Clearview® option	Bifold, Bypass, Cottage Style Frame, Cottage Arch Frame, Standard Frame or Decorative Frame. Available with centre located tilt rod or Clearview® option
Maximum & Minimum Panel Sizes	Min-Max shutter width: 250-850mm Min-Max shutter height: 650-2900mm	Min-Max shutter width: 250-850mm Min-Max shutter height: 500-2900mm	Min-Max shutter width: 240-600mm Min-Max shutter height: 450-2900mm	Min-Max shutter width: 250-850mm Min-Max shutter height: 450-2900mm
Accessories	Security keys and louvre locks	Louvre locks only as an optional extra*		
Light Control	Yes. New Astragal frame removes light gap between shutter panels	New Astragal frame removes light gap between shutter panels. This is only applied as an optional extra*	Yes. Light control depends on the louvres' tilt when closing/opening	Yes. Light control depends on the louvres' tilt when closing/opening
Privacy Control	85 - 100% (not possible to see through closed shutters)	85 - 100% (not possible to see through closed shutters)	85 - 100% (not possible to see through closed shutters)	85 - 100% (not possible to see through closed shutters)
Security	ShutterGuard® is a security shutter system which includes a patented Taylor 2-way aluminium gear-lock system. 6cm patented bolt secures shutters to the floor while a 3.4cm bolt secures the shutters to the top track	Hurricane Shutters can only be considered a security shutter if a louvre lock is added. Should you wish to add louvre locks you are able to, to secure your louvres shut*	Thermowood® is not a security shutter system	Timber Wood Shutters are not a security shutter system

*Optional extras for Hurricane Shutters include: Astragal Frame to remove light gap between shutter panels and louvre locks to lock louvres.

**Custom colours and frame shapes are available at a surcharge and will add an extra 1 week to the lead time.

QUALITY. INNOVATION. TRUST.

WHO ARE WE?

For 60 years Taylor has been synonymous with providing service excellence and innovative, elegant, quality products. Be it stylish aluminium or wood-substitute shutters, contemporary security gates, the streamlined simplicity of venetian, vertical, roller or woven blinds. Taylor has the perfect solution for your home or office.

Taylor innovation is savvy – merging design and functionality to provide stylish, sleek and practical window and door covering custom-made solutions.

WHY WE'RE DIFFERENT?

We know everyone has unique tastes so we work alongside home owners, designers and architects to provide Taylor-made-to-measure, locally manufactured, top quality products that are delivered and installed within our committed time frame to you.

We pride ourselves on our quality and service and offer a warranty on all products manufactured in our factory, that they will be free from defects in material and workmanship, for a set period ranging from 2 to 10 years from date of delivery. This warranty is given subject to certain conditions.

QUICK TURNAROUND

We have an 8000m² purpose-built factory and are able to manufacture within a maximum of two weeks from signed off order*. Our service ethic includes the highest quality control, which is why we confidently offer 2 to 10-year warranties, depending on the product.

SECURITY WITH STYLE

Security shouldn't come at the expense of style. ShutterGuard® Aluminium Shutters are stylish, rustproof and perhaps, more importantly, through innovative construction, they also provide high-end security when closed. So you'll have complete peace of mind when away from home. Think of it as a haute couture suit of armour.

*Excluding delivery, which requires 5 working days.



OFFICES & SHOWROOMS | 0861-1-TAYLOR (829567)

CPT: 10 Hoist Avenue, Montague Gardens | +27 (0) 21 552-5080 | sales@taylorblinds.co.za
JHB: 83 Voorraadskip St, Honeydew Ext 20 | +27 (0) 11 794-1743 | salesjhb@taylorblinds.co.za

www.taylorblinds.co.za